

Boost Accessories

GBC004

Boost MAX Battery Clamps



NOCO

Boost Accessories™

Heavy-duty design for jump starting.

Rugged battery clamp design for 12V and 24V automotive, marine, RV, and truck applications. A robust and rugged design to provide **maximum current flow** with **minimal power** losses. With the high current carrying ability, the GBC004 Boost MAX accessory has no-melt and smoke-free clamps that are reinforced with all metal construction.



UltraSafe™

With the GB500, Boost MAX™ clamps protect against reverse polarity, sparks, over-charging, over-current, open-circuits and over-heating.

Heavy Duty Design

Our no-melt and smoke-free clamps are reinforced with solid metal design versus generic clamps' all plastic construction.

2/0
AWG



Made from durable, high-performance 2/0 AWG silicone wire that maintains its flexibility in cold weather environments.



The Boost Max™ cam-lock cable connectors will not slip or disconnect from the GB500 when the cables are pulled.

The NOCO Company
30339 Diamond Parkway, #102
Glenwillow, OH 44139 | USA
1.800.456.6626

no.co

NOCO
Since 1914

GBC004 Boost MAX Battery Clamps

Boost MAX™ Camlock

Commercial Grade
12V & 24V Clamps

Multi-layered Clamp Teeth

2/0 AWG

Technical Specifications

| | |
|---------|------------------------|
| Input: | Camlock Male Connector |
| Output: | Boost MAX Clamps |
| Length: | 35.4 Inches |
| Weight: | 5.51 Pounds |

Compatible Models:

| | |
|----------------------------|-------|
| Boost Jump Starters | GB500 |
|----------------------------|-------|

Inner Carton:

Dimensions: 15.3"x12.5"x15.0"
Weight: 5.95 lbs
UPC: 0-46221-18006-0
UCC:10-046221180067

Exclusively included with BOOST MAX GB500.

NOCO Boost MAX Precision Battery Clamps feature a commercial grade clamp design for 12V and 24V battery applications. The multi-layered teeth design makes contact with the battery terminal at multiple points allowing the clamps to transfer maximum energy with minimal power loss.

